



# Shaken Baby & Abusive Head Trauma Prevention Policy

The Charlotte Jewish Preschool believes that preventing, recognizing and responding to, and reporting Shaken Baby syndrome and Abusive Head Trauma (SBS/AHT) is an important function of keeping children safe, protecting their healthy development, providing quality child care and educating families.

## **What is SBS/AHT?**

SBS/AHT is the name given to a form of physical child abuse that occurs when an infant or small child is violently shaken and/or there is trauma to the head. Shaking may last only a few seconds but can result in severe injury or even death. According to NC Child Care Rule (10A NCAC 09.0608), each child care facility licensed to care for children up to five years of age shall develop and adopt a policy to prevent SBS/AHT.

AHT can occur in children up to 5 years of age. Shaken baby syndrome can lead to serious conditions including: brain damage, problems with memory and attention, blindness or hearing loss, intellectual, speech, or learning disabilities, and developmental delays.

## **Procedures/Practices**

***Recognizing:*** The signs and symptoms of shaken baby syndrome or head trauma include:

- ☞ Irritability and/or high pitched crying
- ☞ Difficulty staying awake/lethargy or loss of consciousness
- ☞ Difficulty breathing
- ☞ Inability to lift the head
- ☞ Seizures
- ☞ Lack of appetite, vomiting, or difficulty sucking or swallowing
- ☞ Poor feeding/sucking
- ☞ No smiling or vocalization
- ☞ Inability of the eyes to track and/or decreased muscle tone
- ☞ Bruises which may be found on the upper arms, rib cage, or head resulting from gripping or hitting the head.

***Responding to (Emergency Response):*** If SBS/ABT is suspected, staff will:

- ☞ Call 911 immediately upon suspecting SBS/AHT and inform the Director.
- ☞ Implement school-wide Emergency Response procedures.
- ☞ Call the parent/guardian.
- ☞ If the child has stopped breathing, trained staff will begin pediatric CPR.

***Reporting:*** Instances of suspected child maltreatment in child care are reported to the Division of Child Development and Early Education (DCDEE) by calling 1-800-859-0829 or by emailing [webmasterdc@dohc.gov](mailto:webmasterdc@dohc.gov). Instances of suspected child maltreatment in the home are reported to Mecklenburg County Department of Social Services at (704)336-3000.

## **Strategies for Caregivers and Parents**

A child is usually shaken out of frustration, often when the child is persistently crying or irritable. The following strategies may work some of the time; but sometimes nothing will comfort a crying child. Caregivers will first determine if the child has any physical needs such as being hungry, tired, sick, or in need of a diaper change.

If no physical need is identified, caregivers will attempt one or more of the following strategies:

- Rock the child, hold the child close, or walk with the child.
- Stand up, hold the child close and repeatedly bend the knees.
- Sing or talk to the child in a soothing voice.
- Gently run or stroke the child's back, chest, or tummy.
- Offer a pacifier or try to distract the child with a toy.
- Take the child for a ride in a stroller.
- Turn on music or other white noise.
- Hand the child to another caregiver.

In addition, the Charlotte Jewish Preschool:

- Allows for staff who feel they may lose control to have a short but relatively immediate break away from the children.
- Provides support when parents/guardians are trying to calm a crying child and encourage parents to take a calming break, if needed.

### **Prohibited Behaviors**

Behaviors that are prohibited include:

- Shaking or jerking a child.
- Tossing a child into the air or into a crib, chair, or car seat.
- Pushing a child into walls, doors, or furniture.

### **Resources**

The following resources are available to parents/guardians and caregivers:

- The American Academy of Pediatrics: [www.healthychildren.org/English/safety-prevention-at-home/Pages/Abusive-Head-Trauma-Shaken-Baby-Syndrome.aspx](http://www.healthychildren.org/English/safety-prevention-at-home/Pages/Abusive-Head-Trauma-Shaken-Baby-Syndrome.aspx)
- The National Center on Shaken Baby Syndrome: <http://dontshake.org/familyresources>
- The Period of Purple Crying: <http://purplecrying.info/>
- Caring for our Children Standard 3.4.4.3 Preventing and Identifying Shaken Baby Syndrome/Abusive Head Trauma: <http://cfoc.nrckids.org>
- Preventing Shaken Baby Syndrome, The Centers for Disease Control and Prevention: <http://centerforchildwelfare.fmhi.usf.edu/>
- Early Development & Well Being, Zero to Three: [www.zerotothree.org](http://www.zerotothree.org)
- NC DCDEE: <http://ncchildcare.dhhs.state.nc.us>
- American Red Cross: [www.redcross.org](http://www.redcross.org)

### **Application**

This policy applies to children up to five years of age and their families, operators, early childhood educators, substitute providers, and uncompensated providers.





# Shaken Baby & Abusive Head Trauma Prevention Policy Parent or Guardian Acknowledgement Form

I, the parent or guardian of \_\_\_\_\_

Child's Name

Acknowledges that I have read and received a copy of the Charlotte Jewish Preschool's Shaken Baby Syndrome/Abusive Head Trauma Policy.

\_\_\_\_\_  
Date policy given to parent/guardian

\_\_\_\_\_  
Date of child's enrollment

\_\_\_\_\_  
Printed name of parent/guardian

\_\_\_\_\_  
Signature of parent/guardian

\_\_\_\_\_  
Date